



TYPHON-X12F

All conditions. No compromise.

Product Description

With the TYPHON-XF Series, that same Typhon character is available in a passive, IP66-certified format designed specifically for permanent outdoor installation.

TYPHON-XF combines the familiar Typhon cabinet styling with a fully weather-protected design capable of handling rain, humidity, dust and challenging environmental conditions year-round. The durable enclosure gives the series a discreet and professional appearance for architectural and commercial projects, whilst the included heavy-duty steel U-bracket allows fast and practical installation straight out of the box.

Available in 8", 12" and 15" models, TYPHON-XF delivers high SPL performance, controlled coverage and dependable passive operation for stadiums, hospitality venues, theme parks, public spaces and outdoor entertainment environments.

TYPHON-XF brings the trusted Typhon sound into a durable new category built for the outdoors. All conditions. No compromise.

Key Features

- | | |
|---------------------|------------------------|
| ✓ Full-Range, 2-way | ✓ 129 dB Max SPL @ 1m |
| ✓ 12" LF Driver | ✓ 8 Ω Impedance |
| ✓ 300 W Continuous | ✓ 600 W Programme |



Specifications

Specification	Value
Active / Passive	Passive
System Type	Full-Range
Configuration	2-way
System Continuous Power	300 W
System Programme Power	600 W
System Peak Power	1200 W
Max SPL @ 1m	129 dB
Sensitivity 2.83 V / 1 m	98 dB
Frequency Response (+/-3dB)	55 Hz - 20 kHz
Frequency Range (-10dB)	45 Hz - 18 kHz
Crossover Frequency	2.1 KHz
Bluetooth	No
Input Connector	1 x waterproof captive cable
LF Driver Size	12"
LF Voice Coil Size	2.5"
LF Rated Impedance	8 Ω
HF Driver Type	Compression Driver
HF Voice Coil Size	1.75"
HF Diaphragm Material	1"
HF Rated Impedance	8 Ω
Nominal Coverage (H x V)	100° x 80°
Enclosure Material	Black Polypropylene
Grille Material and Finish	Steel Black
Finish	Black Paint

Specifications (continued)

Specification	Value
Handles	No
Deployment	Wall Mount
Brackets Included	Yes
Rigging	no
Unpacked Height	565 mm
Unpacked Width	344 mm
Unpacked Rear	244 mm
Unpacked Depth	340 mm
Packed - Height	685 mm
Packed - Width Front	445 mm
Packed - Width Rear	445 mm
Packed - Depth	450 mm
Net Weight	16.3 kg
Gross Weight	19.24 kg