



SL824USB

Studio / Live mixers with built in USB interface

Product Description

The SL824USB delivers versatile mixing in a compact unit that works effortlessly for both live sound and home-studio use.

Thanks to its built-in USB interface, you can plug straight into your computer for playback or recording—no extra drivers needed—making setup seamlessly simple. You'll find flexible routing with a dedicated USB return channel—ideal for bringing backing tracks or computer sound into your mix.

Each channel offers musical three-band EQ with a high-pass filter, giving you intuitive control over tone without wrestling endless dials. Add polish with the built-in effects—reverbs, delays and choruses—via a clean send system and FX return. Thoughtful extras like studio-grade mic preamps, control-room and headphone outputs, and PFL monitoring keep everything under control.

Whether for performing, streaming, or recording, the SL824USB balances simplicity, reliability, and real-world functionality.

Key Features

- ✓ 12 Channels
- ✓ 2 x XLR, 2 x 6.3 mm jack Outputs
- ✓ 2 Auxiliary Sends
- ✓ 10 x XLR, 12 x 6.3 mm jack Inputs
- ✓ 3-Band with HPF
- ✓ 16 FX



Specifications

Specification	Value
Display	4 Segment Level LED with power and Phantom Power indicator
Total Channels	12
Inputs	10 x XLR, 12 x 6.3 mm jack
Outputs	2 x XLR, 2 x 6.3 mm jack
Balanced Inputs	Yes
Balanced Outputs	Yes
Total Mic Preamps	8
Phantom Power	Studio Grade Phantom Power
Headphone Output	6.3 mm Jack
Control Room Output	Yes
PFL (Pre Fade Listen)	Yes
Auxiliary Sends	2
Total FX	16
FX Types	(1) Hall1 (2) Hall2 (3) Room1 (4) Room2 (5) Room3 (6) Platereverb1 (7) Platereverb2 (8) Platereverb3 (9) Chorus (10) Flange (11) Delay1 (12) Delay2 (13) Chorus/Room1 (14) Chorus/Room2 (15) Bypass (16) Rotaryspeaker
FX Send	Yes
EQ	3-Band with HPF
Pan / Balance Control	Yes
USB	16 bit / 48 KHz
Plug and Play	Yes
Compatibility	Linux, Mac, Windows
Signal To Noise Ratio	-127 dBu ±5 dBu Mic Pre Equivalent Input Noise
Frequency Response	20 Hz-20 KHz ±2 dB
Rack Mount Kit	Yes
Included Accessory	Power cable, USB Cable, User Manual, rack ears

Specifications (continued)

Specification	Value
Unpacked Height	80 mm
Unpacked Width	400 mm
Unpacked Rear	400 mm
Unpacked Depth	369 mm
Packed - Height	190 mm
Packed - Width Front	480 mm
Packed - Width Rear	480 mm
Packed - Depth	510 mm
Net Weight	5.2 kg
Gross Weight	7.4 kg