



DELTA-X215L

Dual 15" passive with bi-amp functionality - Larger cabinet.

Product Description

Delta-X215L is a quasi 3-way passive loudspeaker designed to project sound powerfully and evenly across larger venues and outdoor spaces.

Built from 18 mm birch plywood and finished in our Tough-Tone paint, the cabinet is engineered to endure the demands of touring and permanent installations while maintaining a professional finish.

With dual 15-inch Wharfedale Pro custom LF drivers delivering deep, commanding bass and a dedicated MF/HF section providing strong midrange presence and crisp high-end detail, the Delta-X215L is voiced for clarity at distance as well as up close.


Handling 1,000 W continuous (up to 4,000 W peak) and producing up to 137 dB SPL, it has the muscle to cover large spaces with authority.

Flexible rear-panel switching allows passive or bi-amp operation, giving system designers control over their setup.

With multiple rigging points and sturdy side handles, the Delta-X215L is both powerful and practical for serious sound reinforcement.

Key Features

- | | |
|---------------------------|------------------------|
| ✓ Full-Range, Quasi 3-way | ✓ 137 dB Max SPL @ 1m |
| ✓ 2 x 15" LF Driver | ✓ 4 Ω Impedance |
| ✓ 1000 W Continuous | ✓ 2000 W Programme |



Specifications

Specification	Value
Active / Passive	Passive
System Type	Full-Range
Configuration	Quasi 3-way
System Continuous Power	1000 W
System Programme Power	2000 W
System Peak Power	4000 W
Max SPL @ 1m	137 dB
Sensitivity 2.83 V / 1 m	101 dB
Frequency Response (+/-3dB)	40 Hz - 20 kHz
Frequency Range (-10dB)	35 Hz - 20 kHz
Crossover Frequency	1.8 kHz
Bluetooth	No
Input Connector	2 x 4 Pole Speaker Connector
LF Driver Size	2 x 15"
LF Voice Coil Size	3"
LF Rated Impedance	8 Ω
LF Power (RE:AES2-2012)	2 x 500 W
HF Driver Type	Compression Driver
HF Voice Coil Size	2"
HF Diaphragm Material	1.4"
HF Power (RE:AES2-2012)	50 W
HF Rated Impedance	8 Ω
Nominal Coverage (H x V)	90° x 45°
EQ Type	None

Specifications (continued)

Specification	Value
Enclosure Material	Birch Plywood
Grille Material and Finish	Steel Black
Finish	Black Tough-Tone
Handles	3
Deployment	Ground
Pole Mount	None
Brackets Included	No
Rigging	No
Included Accessory	User Manual, 2 x Castor Wheels
Unpacked Height	1400 mm
Unpacked Width	488 mm
Unpacked Rear	306 mm
Unpacked Depth	500 mm
Packed - Height	1502 mm
Packed - Width Front	600 mm
Packed - Width Rear	600 mm
Packed - Depth	507.5 mm
Net Weight	59.8 kg
Gross Weight	65.2 kg