



WLA-218BXF

Dual 18" IPX6 waterproof subwoofer

Product Description

WLA-218BXF is a dual 18" IPX6-rated subwoofer from our WLA-28XF System, engineered for outdoor events and permanent installations demanding extreme low-frequency power and full weather protection.


Based on the proven WLA-218B design, this waterproof "F" model retains the same high-output performance while ensuring complete resistance to rain and moisture. Rust-proof aluminium grilles, wax-coated components and stainless-steel hardware provide long-term environmental durability, while the flat front grille prevents standing water and improves handling during storage.

Constructed from 18 mm birch plywood, WLA-218BXF features dual custom Wharfedale Pro 18" drivers and a single WY-24K4Z waterproof input connector, delivering a maximum SPL of 148 dB @ 1 m with deep, controlled sub-bass power.

Built for reliability in all weather conditions, WLA-218BXF extends the WLA-28XF system with commanding, waterproof low-end reinforcement.

Key Features

- | | |
|--------------------------|-----------------------|
| ✓ Subwoofer, Bass-reflex | ✓ 148 dB Max SPL @ 1m |
| ✓ 2 x 18" LF Driver | ✓ 4 Ω Impedance |
| ✓ 2000 W Continuous | ✓ 4000 W Programme |



Specifications

Specification	Value
Active / Passive	Passive
System Type	Subwoofer
Configuration	Bass-reflex
System Continuous Power	2000 W
System Programme Power	4000 W
System Peak Power	8000 W
Max SPL @ 1m	148 dB
Sensitivity 2.83 V / 1 m	109 dB
Frequency Response (+/-3dB)	30 Hz - 800 Hz
Frequency Range (-10dB)	25 Hz - 1.0 KHz
Crossover Frequency	Preset Dependent
Bluetooth	No
Input Connector	Single WY-24K4Z Waterproof Input Connector
LF Driver Size	2 x 18"
LF Magnet Material	Ferrite
LF Frame Material	Aluminium
LF Voice Coil Size	4"
LF Rated Impedance	2 x 8 Ω
LF Power (RE:AES2-2012)	2 x 1000 W
Enclosure Material	Birch Plywood
Grille Material and Finish	Black Aluminium
Finish	Waterproof Black Paint
Handles	4
Deployment	Ground

Specifications (continued)

Specification	Value
Pole Mount	None
Rigging	No
Included Accessory	User Manual
Unpacked Width	1073 mm
Unpacked Rear	1073 mm
Unpacked Depth	757 mm
Packed - Height	650 mm
Packed - Width Front	830 mm
Packed - Width Rear	830 mm
Packed - Depth	1150 mm
Net Weight	105 kg
Gross Weight	111 kg